

Safety Data Sheet 91/155/EEC (us)
INNER EFFECT Repower & Color Live Treatment

KPSS Inc.

Revised: 22.07.2005

01. Chemical Product and Company Information

Product: INNER EFFECT Repower & Color Live Treatment

Use: Hair cure

Article number: 265608=30ml, 265609=150ml,,

Company: KPSS Inc.

Linthicum Heights, MD 21090

Phone: 001410-850-7555

Fax:

eMail:

Homepage: www.kpss-hair.com

Emergency phone: 24 Hour Emergency 800-424-9300 (Chemtrec)

02. Composition / Information on Ingredients

CAS	Substance	Percent
64-17-5	Ethanol	1 - < 20

03. Hazards identification

No special hazards have to be mentioned.

0 HEALTH	HMIS Ratings
1 FLAMMABILITY	Hazard Scale:
0 REACTIVITY	0=Minimal 1=Slight 2=Moderate 3=Serious 4=Severe *=Chronic
I PERSONAL PROTECTION	(safety glasses, gloves and a dust/vapor respirator)

04. First aid measures

General information	None.
Inhalation	Not applicable.
Skin contact	None.
Eye contact	In case of contact with eyes rinse thoroughly with water.
Ingestion	Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Seek medical advice immediately.
Advice to doctor	Treat symptomatically.


Safety Data Sheet 91/155/EEC (us)
INNER EFFECT Repower & Color Live Treatment

KPSS Inc.

Revised: 22.07.2005

05. Fire-fighting measures

Suitable extinguishing media Alcohol-resistant foam. Dry powder. Water spray jet. Carbon dioxide.
Extinguishing media that must not be used Full water jet.
Special exposure hazards arising from the substance or preparation itself or combustion products Risk of formation of toxic pyrolysis products.
Special protective equipment for firefighters Use self-contained breathing apparatus.
Additional information Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.



NFPA Ratings: Hazard Scale

top = flammability: 0=Not combustible 1=Combustible 2=Caution 3=Warning 4=Danger
 left = health: 0=No unusual hazard 1=Caution 2=Warning 3=Warning 4=Danger
 right = reactivity: 0=Stable 1=Caution 2=Warning 3=Danger 4=Danger
 bottom=special notice: W = water reactive OX = oxidizing agent

06. Accidental release measures

Personal precautions High risk of slipping due to leakage/spillage of product.
Environmental precautions Do not discharge into the drains/ surface waters/ groundwater. Prevent spread over a wide area (e.g. by containment or oil barriers).
Methods for cleaning up/taking up Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). Dispose of absorbed material in accordance with the regulations.

07. Handling and storage

Advice on safe handling No special measures necessary if used correctly.
Advice on protection against fire and explosion No special measures necessary.
Requirements for storage rooms and vessels None.
Advice on storage compatibility None.
Further information on storage conditions None.

08. Exposure controls / personal protection

Additional advice on system design

Ensure adequate ventilation on workstation.

Ingredients with occupational exposure limits to be monitored: (us)

Substance	[ppm]*	[mg/m³]*	General remarks
Ethanol	1000	1900	

* LTEL: Long-term exposure limit

Respiratory protection Not applicable.
Hand protection Not applicable.
Eye protection Safety glasses.

Safety Data Sheet 91/155/EEC (us)
INNER EFFECT Repower & Color Live Treatment

KPSS Inc.

Revised: 22.07.2005

Skin protection	Not applicable.
General protective measures	Avoid contact with eyes.
Hygiene measures	Wash hands before breaks and after work. Use barrier skin cream.
Delimitation and monitoring of the environmental exposition	Not applicable.

09. Physical and chemical properties

Form:	Viscous.	Vapour pressure [kPa]:	Not determined.
Colour:	Light green.	Density [g/ml]:	ca. 0,99
Odour:	Characteristic.	Bulk density [kg/m³]:	Not applicable.
pH-value:	3,5-4,5	Solubility in water:	Miscible.
pH-value, 1%	Not determined.	Partition coefficient: n-octanol / water:	Not determined.
Boiling point [°C]:	Not determined.	Viscosity:	Not applicable.
Flash point [°C]:	58	Relative vapour density determined in air:	Not applicable.
Flammability:[°C]	Not determined.	Evaporation speed:	Not applicable.
Lower explosion limit:	Not applicable.	Melting point [°C]:	Not determined.
Upper explosion limit:	Not applicable.	Autoignition temperature [°C]:	Not applicable.
Combustible properties:	No.	Decomposition temperature [°C]:	Not applicable.

10. Stability and reactivity

Hazardous reactions	No hazardous reactions known.
Hazardous decomposition products	No hazardous decomposition products known.

11. Toxicological information

Acute oral toxicity OECD 401	Not determined.
Experiences made in practice	None.
General remarks	No toxicological data are available. No classification on the basis of the calculation procedure of the preparation directive.

12. Ecological information

AOX-advice	None.
76/464/EC	None.
General information	Ecological data are not available.

13. Disposal considerations

US EPA Waste Number & Descriptions

Disposal / Product	For recycling, consult manufacturer.
Disposal / Contaminated packaging	Uncontaminated packaging may be taken for recycling.

RCRA Hazard Class (40 CFR 261)

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities.

KPSS Inc.

Revised: 22.07.2005

14. Transport information

DOT Road Shipment Information (49 CFR 172.101)

Hazard Class: no dangerous goods

Proper Shipping Name:

UN/NA Number:

Hazard Label(s)-Number:

Classification according to

IMDG:

Declaration: not classified as Dangerous Goods

Labelling:

Label:

LQ, [l/kg]:

EmS:

Classification according to not classified as Dangerous Goods

IATA:

Declaration:

Labelling:

Label:

15. Regulatory information

Contents of this Material Safety Data Sheet comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Inventory Status

United States (TSCA): All chemical substances in this material are included on or exempted from listing on the TSCA Inventory.

European Union (EINECS/ELINCS): All chemicals in this product are included on the European Inventory of Existing Commercial Chemical Substances - EINECS or ELINCS

Federal Regulations

SARA Sections 302 This product does not contain any ingredients regulated under this list.

SARA Sections 313 This product does not contain any ingredients regulated under this list.

European

classification The product does not require a hazard warning label in accordance with EC directives

Hazard symbols

Special labelling for certain preparations

Not applicable.

16. Other informations

R 11: Highly flammable.

R 22: Harmful if swallowed.

R 38: Irritating to skin.

R 41: Risk of serious damage to eyes.

R 50: Very toxic to aquatic organisms.

Safety Data Sheet 91/155/EEC (us)
INNER EFFECT Repower & Color Live Treatment

KPSS Inc.

Revised: 22.07.2005

R 51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

16.1 Sources of documentation

Key / Legend

ACGIH = American Conference of Governmental Industrial Hygienists; CAS = Chemical Abstracts Service; CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act; CFR = Code of Federal Regulations; CPR = Controlled Products Regulations; DOT = Department of Transportation; EINECS = European Inventory of Existing Commercial Chemical Substances; EPA = Environmental Protection Agency; IARC = International Agency for Research on Cancer; IATA = International Air Transport Association; NIOSH = National Institute for Occupational Safety and Health; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration; SARA = Superfund Amendments and Reauthorization Act; STEL = Short Term Exposure Limit; TSCA = Toxic Substances Control Act

Disclaimer

This Information is based on our present state of knowledge. It should not be constructed as guaranteeing specific properties of the materials described or their suitability for a particular application. Existing regulations must be observed by the recipient of our material under their own responsibility.

16.2 Modified position: